

Total No. of Printed Pages—7

5 SEM TDC CHMN (CBCS) C 12

2024

(November)

CHEMISTRY

(Core)

Paper : C-12

**(Physical Chemistry, Quantum Chemistry
and Spectroscopy)**

Full Marks : 53

Pass Marks : 21

Time : 3 hours

*The figures in the margin indicate full marks
for the questions*

1. Choose the correct answer from the following : 1×4=4

(a) The degeneracy of a particle of mass m confined in a 3-D box having energy

level equal to $\frac{19h^2}{8ma^2}$ is

(i) 7

(ii) 19

(iii) 6

(iv) 3

(b) The wavefunction $\psi = e^{ax^2}$ in the range $-\infty < x < \infty$ where a is a finite quantity is


- (i) acceptable wave function
- (ii) not acceptable wave function
- (iii) eigenfunction of $\frac{d}{dx}$
- (iv) a normalized wave function

(c) Intersystem crossing refers to

- (i) transition between two states of a system
- (ii) radiationless transition between states of different spin multiplicities
- (iii) transition between excited and ground states with same multiplicities
- (iv) All of the above

(3)

(d) The number of NMR signal formed by



is

- (i) 2
- (ii) 3
- (iii) 4
- (iv) 5

2. Answer any *four* from the following : $2 \times 4 = 8$

(a) State whether the function

$$\psi = \sin(k_1x) \sin(k_2y) \sin(k_3y)$$

is an eigenfunction of the operator ∇^2 .
If it is an eigenfunction, find the eigenvalue.

(b) Determine the normalization constant of the function $\psi = x^2$ in the range $0 \leq x \leq k$, where k is a constant.

(c) Microwave studies are done only in gaseous state. Explain.

- (d) Explain why the nuclei ^1H and ^{13}C are suitable for NMR investigation.
- (e) What is the basic difference between fluorescence and phosphorescence?
- (f) Determine the value of $[x, P_x]$.

3. Answer any *four* from the following : $4 \times 4 = 16$

- (a) Solve the Schrödinger wave equation for a particle having mass m moving freely in a 1-D box of length a . Find out the energy expression. $3+1=4$
- (b) Write the conditions for acceptability of wave function. Prove that $\tan x$ is not acceptable wave function in the range $0 \leq x \leq \pi$. $2+2=4$
- (c) Write Schrödinger's wave equation for rigid rotator system and separate the variables. 4
- (d) (i) Write down the Schrödinger's wave equation for H-atom in Cartesian and polar coordinates. $1+1=2$

- (ii) What is zero-point energy?
Calculate zero-point energy of a molecule if it is considered as a simple harmonic oscillator. $1+1=2$
- (e) (i) Prove that the eigenvalues of Hermitian operator are real. 2
- (ii) Calculate the value of $\left[x, \frac{d^2}{dx^2} \right]$. 2
- (f) Sketch the variation of radial wave function and radial probability distribution against the distance from the nuclei (i) $2S$ and (ii) $2P$. $2+2=4$
4. Answer any *four* from the following : $4 \times 4 = 16$
- (a) Show that the lines in the rotational spectra of a diatomic molecule are equispaced under rigid rotator approximation. 4
- (b) The C—H vibration (stretching) in chloroform occurs at 3000 cm^{-1} . Calculate the C—D frequency (stretching) in deuterated chloroform. Suppose force constant remains same during isotopic substitution. 4

- (c) (i) What are *P*, *Q* and *R* branches of vibration-rotation spectra? 3
- (ii) Why is electronic spectrum a band spectrum? 1
- (d) Write short notes on the following : $2 \times 2 = 4$
- (i) Larmor frequency
- (ii) Bathochromic shift
- (e) (i) Why is TMS used as a reference standard in NMR spectra? 2
- (ii) Draw the high and low resolution NMR spectra of the ethanol. 2

5. Answer any *two* questions from the following :

$4\frac{1}{2} \times 2 = 9$

- (a) What are photochemical reactions? Write the difference between photochemical and thermal reactions. Discuss the reason for low and high quantum yields of photochemical reaction. $\frac{1}{2} + 2 + 2 = 4\frac{1}{2}$
- (b) State and explain Lambert-Beer law. Write the significance of molar extinction coefficient. $4\frac{1}{2}$

- (c) (i) Write short notes on any one of the following : 2
1. Actinometry
 2. Chemiluminescence
- (ii) A certain system absorbs 3×10^{20} quanta of light per second. On irradiation for 20 minutes, 0.02 mole of the reactant was found to have reacted. Calculate the quantum yield of the reaction. $2\frac{1}{2}$
