

Total No. of Printed Pages—8

3 SEM TDC MTH M 1

Math - 301, 302

Geo - 301, 303

2018 ZOO - 301, 303

(November) Che - 301, 303

Phy - 301, 302

MATHEMATICS Bot - 301, 303

Stat - 301, 302

(Major)

Course : 301

Real - 6

[Analysis—I (Real Analysis)]

Full Marks : 80

Pass Marks : 32/24

Time : 3 hours

*The figures in the margin indicate full marks
for the questions*

GROUP—A

(Differential Calculus)

(Marks : 35)

1. (a) If $y = \frac{x}{1+x}$, find y_n .

1

- (b) If $y = x^2 e^{ax}$, find y_n .

2

(c) Evaluate any one :

3

$$(i) \lim_{x \rightarrow 0} \frac{x - \sin^{-1} x}{\sin^3 x}$$

$$(ii) \lim_{x \rightarrow 0} \left[\frac{1}{x^2} - \frac{1}{\sin^2 x} \right]$$

(d) If $y = \sin(m \sin^{-1} x)$, then show that

$$(1 - x^2)y_2 - xy_1 + m^2 y = 0$$

4

Or

Find radius of curvature at $x = \frac{\pi}{2}$ to the curve $y = 4 \sin x - \sin 2x$.

2. (a) Write the algebraic interpretation of Rolle's theorem.

1

(b) Choose the correct answer for the following :

1

The image of a closed interval under a continuous function is

(i) a closed interval

(ii) an open interval

(iii) semi-closed interval

(iv) Image cannot be determined

(3)

- (c) If a function f is continuous on $[a, b]$, derivable on (a, b) and $f'(x) > 0$, then write the nature of the function. 1
- (d) Expand $\log(1 + x)$ by Maclaurin's theorem. 3
- (e) Show that $\frac{\tan x}{x} > \frac{x}{\sin x}$, for $0 < x < \frac{\pi}{2}$. 4

Or

Prove that if a function f is continuous on $[a, b]$ and $f(a) \neq f(b)$, then it assumes every value between $f(a)$ and $f(b)$.

3. (a) Find $\frac{\partial u}{\partial y}$, if $u = e^x(x \cos y - y \sin x)$. 1
- (b) If $x = r \cos \theta$, $y = r \sin \theta$, then show that $\frac{\partial x}{\partial \theta} \neq \frac{\partial \theta}{\partial x}$. 2
- (c) Verify Euler's theorem for the function $u = \sin \frac{x^2 + y^2}{xy}$. 2
4. (a) Write the sufficient conditions for differentiability of a function $f(x, y)$ at any point (a, b) . 1
- (b) Define limit of a function $f(x, y)$ at any point (a, b) . 2

(4)

- (c) Investigate the continuity of the function

$$f(x, y) = \begin{cases} x^2 + 2y & , (x, y) \neq (1, 2) \\ 0 & , (x, y) = (1, 2) \end{cases} \quad 3$$

- (d) If $v = v(x, y)$ and $x = r \cos \theta$, $y = r \sin \theta$,
then find $\frac{\partial^2 v}{\partial x^2}$ in terms of r and θ . 4

Or

Find the maximum and minimum values of the function

$$f(x, y) = 4x^2 - xy + 4y^2 + x^3y + xy^3 - 4$$

GROUP—B

(Integral Calculus)

(Marks : 20)

5. (a) Write the value of the integral $\int_{-a}^a \phi(x) dx$
when $\phi(x)$ is an odd function. 1

- (b) Show that

$$\int_0^{\pi/2} f(\sin 2x) \cos x dx = \int_0^{\pi/2} f(\sin 2x) \sin x dx \quad 2$$

(c) Evaluate any one :

$$(i) \int_0^{\pi} \frac{x \sin x}{1 + \cos^2 x} dx$$

$$(ii) \int_0^{\pi} \cos^6 x dx$$

(d) Obtain the reduction formula for

$$\int_0^{\pi/4} \tan^n x dx$$

Or

Evaluate

$$\int_0^{\pi/2} \sin^5 x \cos^6 x dx$$

6. (a) Rectify the curve $x = a(\theta + \sin \theta)$,
 $y = a(1 - \cos \theta)$.

Or

Find the length of the curve

$$r = a \cos^3 \left(\frac{\theta}{3} \right).$$

(b) Find the volume of the solid obtained by revolving the cardioid $r = a(1 + \cos \theta)$ about the initial line.

(6)

Or

Find the surface of the solid generated by the revolution of the astroid $x^{\frac{2}{3}} + y^{\frac{2}{3}} = a^{\frac{2}{3}}$ about x -axis.

GROUP—C

(Riemann Integral)

(Marks : 25)

7. (a) Define upper integral of a function f over the interval $[a, b]$. 1
- (b) Write the conditions under which $\int_a^b f(x) dx$ exists. 1
- (c) For any two partitions P_1, P_2 , for a bounded function f , show that $L(P_1, f) \leq U(P_2, f)$. 2
- (d) Prove that if a function f is monotonic on $[a, b]$, then it is integrable on $[a, b]$. 4

Or

State and prove the necessary condition for Riemann integrability of a bounded function.

(7)

8. (a) If f is continuous and positive on $[a, b]$, then show that $\int_a^b f dx$ is also positive. 3

Or

Examine the Riemann integrability of the function $f(x) = \frac{1}{1+x}$ on $[0, 1]$.

- (b) Prove that if a function f is bounded and integrable on $[a, b]$ and there exists a function F such that $F' = f$ on $[a, b]$, then $\int_a^b f dx = F(b) - F(a)$. 4

9. (a) Write an example of an improper integral of second kind. 1

- (b) Write the statement of Dirichlet's test for convergence. 1

- (c) Test the convergence of any one : 4

$$(i) \int_0^\infty e^{-x} \frac{\sin x}{x^2} dx$$

$$(ii) \int_0^\infty \frac{\cos x}{1+x^2} dx$$

(8)

10. Show that

$$\Gamma(n) \Gamma(1-n) = \frac{\pi}{\sin \pi x}$$

4

Or

Show that

$$\Gamma(n) = (n-1) \Gamma(n-1)$$

★ ★ ★